DCN-WD-D Wireless Discussion Unit

www.boschsecurity.com





- Used as delegate or chairman unit
- Separate battery pack, easy to change and charge
- Advanced power saving techniques
- ► Low susceptibility to electromagnetic interference
- Auto microphone-off

To the participant the most important part of a conference system is the discussion unit. Bosch has built on the elegant design of the

DCN Next Generation discussion units to create a new series of wireless discussion units with unrivalled looks and features.

The DCN-WD-D Wireless Discussion Unit enables participants to speak, register a request-to-speak, and listen to the speaker.

Functions

Speech intelligibility

Maximum speech intelligibility is guaranteed at all times. Operating in the 2.4 GHz (license free) band, the wireless discussion units produce crystal-clear sound due to a very high signal-to-noise ratio and antenna diversity. This means the signal is transmitted along different propagation paths, ensuring optimal receipt. The system is also protected against interference from mobile phones and other equipment that makes use of Bluetooth or microwave signals.

Security

Wireless communication means extra security considerations. The DCN Wireless system and discussion units therefore feature 128-bits AES encryption to prevent eavesdropping and unauthorized access. Encryption ensures the information within the system remains confidential.

Microphones

A socket is provided to connect the pluggable microphones which are available in short and long stem versions (DCN-MICS and DCN-MICL, to be ordered separately).

Headphones and loudspeakers

The unit also accommodates two headphone connections, so the speaker can be heard clearly even with excessive background noise. To prevent acoustic feedback the built-in loudspeaker is muted when the microphone is on. If enabled, the headphones volume is also automatically reduced to prevent acoustic feedback when the microphone is on.

Rims and buttons

Different rims are available to allow matching with the interior (DCN-DISR, to be ordered separately). The unit can be used as:

a single delegate unit

- a dual delegate unit
- a chairman unit (DCN-DISBCM chairman buttons, to be ordered separately)

• a single delegate unit with auxiliary button (to be used as an usher call, for example).

Battery maintenance

Simple battery maintenance is essential in a wireless system. A unique feature of Bosch's wireless discussion units are the separate rechargeable battery packs (DCN-WLIION, to be ordered separately). These Lithium-ion battery packs can be removed and replaced in a matter of seconds, providing maximum flexibility in recharge scheduling.

Controls and Indicators

On front

- Microphone button with a red or green illuminated ring. Red indicates microphone is active, green indicates request-to-speak accepted
- Headphone volume control buttons

On rear

- Out-of-range indicator
- · Battery low indicator

Under base

- Recessed 'De-init' switch
- Mode select switches (delegate, chairman, etc.)

Interconnections

- Socket for pluggable microphone
- Two 3.5 mm (0.14 in) headphone sockets stereo jack type
- DC power input from DCN-WPS (accessible when battery pack is removed)

Certifications and approvals

Region	Certification
Europe	CE

Technical specifications

Electrical

Frequency response 30	0 Hz - 20 kHz
Headphone load impedance >3	32 ohm <1k ohm
Output power 2	x 15 mW/32 ohm

Mechanical

Mounting	Tabletop
Dimensions (H x W x D)	
without microphone	61 x 190 x 160 mm (2.4 x 7.5 x 6.3 in)
Weight	
without battery with battery	485 g (1.07 lb) 700 g (1.54 lb)
Color top	Silver (RAL 9022)
Color base	Charcoal (PH 10736)

Ordering information

DCN-WD-D Wireless Discussion Unit

pluggable microphone, dark base, wireless; microphone, rims and batteries to be ordered separately Order number **DCN-WD-D**

DCN-MICS Pluggable Short Microphone

length 310 mm (12.2 inch), silver Order number **DCN-MICS**

DCN-MICL Pluggable Long Microphone length 480 mm (18.9 inch), silver

Order number **DCN-MICL**

DCN-DISRH-SR Rim High Gloss Silver (10 pcs) silver, high gloss, 10 pieces Order number DCN-DISRH-SR

DCN-DISR-SR Rim Silver (10 pcs) silver, 10 pieces

Order number DCN-DISR-SR

DCN-DISR-D Rim Dark (10 pcs)

dark, 10 pieces Order number **DCN-DISR-D**

DCN-DISRMH Rim Metal High Gloss (10 pcs) metal, high gloss, 10 pieces Order number DCN-DISRMH

DCN-DISRMS Rim Metal Semi Gloss (10 pcs) metal, semi gloss, 10 pieces

Order number **DCN-DISRMS**

DCN-DISBCM Buttons Chairman (10 sets) 10 sets

Order number DCN-DISBCM

DCN-WLIION-D Battery Pack for Wireless Discussion Units

charcoal color, lithium-ion, 7.2 VDC, 4800 mAh Order number **DCN-WLIION-D**

DCN-WPS Power Supply for Wireless Discussion Units not approved for some countries

Order number **DCN-WPS**

DCN-FCWD10 Flight Case for 10 Wireless Discussion Units

light grey, can hold 10 wireless discussion units and 2 charging units Order number **DCN-FCWD10**

Represented by:

Americas:

Americas: Bosch Security Systems, Inc. 12000 Portland Avenue South Burnsville MN 55337, USA Phone: +1-800-392-3497 Fax: +1-800-955-6831 audiosupport@us.bosch.com www.boschsecurity.com

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002

P.O. Box 80002 5617 BA Eindhoven, The Netherlands Phone: + 31 40 2577 284 Fax: +31 40 2577 330 emea.securitysystems@bosch.com www.boschsecurity.com

@ Bosch Security Systems 2013 | Data subject to change without notice 1825096587 | en, V4, 03. Jun 2013

Asia-Pacific:

Asia-Pacific: Robert Bosch (SEA) Pte Ltd, Security Systems 11 Bishan Street 21 Singapore 573943 Phone: +65 6571 2808 Fax: +65 6571 2609 apr.securitysystems@bosch.com www.boschsecurity.asia

China:

China: Bosch (Shanghai) Security Systems Ltd. 201 Building, No. 333 Fuquan Road North IBP Changning District, Shanghai 200335 China Phone +86 21 22181111 Fax: +86 21 22182398 www.bacsbecurity.com.cn www.boschsecurity.com.cn

America Latina:

America Latina: Robert Bosch Ltda Security Systems Division Via Anhanguera, Km 98 CEP 13065-900 Campinas, Sao Paulo, Brazil Phone: +55 19 2103 2860 Fax: +55 19 2103 2862 al.securitysystems@bosch.com www.boschsecurity.com